



CATALOGUE

Siemens DELTA relfa 120 series

Edition
2021/22

SIEMENS

Siemens electrical switches and sockets Combining the perfect



Siemens' electrical switches and sockets combine the ideal range of designs from the choice of blends to the use of premium, environmentally responsible materials, making them safe, attractive, and responsive to all. electrical switches and sockets combining the perfect variety of designs from the selection of blends to the use of high quality materials that is environmentally friendly, so it is safe, beautiful and response to all.

DELTA relfa generates a design dimension that can be used to support a wide range of vertical and horizontal applications, such as tiny and large button switches. Single and double outlets, safety blinds, dimmer switches, sockets, televisions, phones, and laptops with covers are all available. The material has been tested and approved to meet industrial product

standards, is reliable, secure, and simple to install (TIS)

แบบ มส.๖
ตัวที่ ๑



ใบอนุญาต
นํ้าประปา
บ้านสิริวัฒน์อุตสาหกรรมเข้าร่วมเพื่อจำหน่ายในราชอาณาจักร
อาศัยอำนาจตามความในมาตรา ๒๑ แห่งพระราชบัญญัติว่าด้วยการจัดตั้งอุตสาหกรรม พ.ศ. ๒๕๑๑
และวิธีการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
ลงมติโดยคณะกรรมการ
บริษัท สยาม เวิลด์ จำกัด
เลขประจำตัวผู้เสียภาษีอากร 0105562170751

มีสำนักงานแม่ข่ายอยู่เลขที่ 2922/320-323 อาคารพาณิชย์สหกรณ์ ๒ ชั้นที่ 32
หมู่ที่ ๑ ตำบลหนอง
จังหวัด กรุงเทพมหานคร

จำนวน บานพับ บานเหล็ก บันไดเลื่อน ลิฟต์ กระจก กระจกใส กระจกบานเลื่อน
บันไดเลื่อน ลิฟต์ บันไดเลื่อน และลิฟต์เคลื่อนย้าย ลิฟต์เคลื่อนย้าย ลิฟต์เคลื่อนย้าย

กรรมการและผู้แทนอุตสาหกรรม สวิตช์ไฟฟ้าใช้ในบ้านอยู่อาศัยและผลิตภัณฑ์ไฟฟ้า สวิตช์ไฟฟ้าใช้ในบ้าน
ผู้ควบคุมทั่วไป

หมายเลขฐานเลขที่ มสท 824-2591 สำนักงานจำหน่ายในราชอาณาจักร
ชื่อโรงงานผู้ค้าชื่อ ZHANGJIANG ELECTRIC CO., LTD
ตั้งอยู่เลขที่ NO.6, TUDZIAN ROAD, LESHANG PIONEER PARK, YUEQINGWAN BAY
HARBOR, YUEQING CITY, ZHEJIANG PROVINCE, PEOPLE'S REPUBLIC OF CHINA

รายละเอียดของผลิตภัณฑ์อุตสาหกรรมที่ขึ้นใบอนุญาต มสท-2591ฉบับนี้ มี
บันทึกการเข้าร่วม มสท-2591ฉบับนี้ มี

ผู้รับใบอนุญาตต้องปฏิบัติตามเงื่อนไขในการอนุญาตให้เข้าใช้การค้าตาม
ของที่ ม. ปรที่ ๒1 ส.ป. ๒54

(นางนงนุช ใจดีรุ่งเรือง)
ผู้อำนวยการส่วนควบคุมมาตรฐาน
ปฏิบัติราชการแทนและ อธิการ
สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
กระทรวงอุตสาหกรรม



QR Code
สวิตช์ ๒ ขั้ว รีเลย์

QR Code
เต้ารับไฟฟ้า


QR Code
สวิตช์

๒ขั้ว RELFA 120

เต้ารับ RELFA 120



































ไฟฟ้า RELFA 120

2 DELTA RELFA















































A variety of color schemes for **DELTA relfa** are available to match the surface. White, silver, and dark gray are the three color tones you should use for the desired room's wall.

The material is made of high-quality polycarbonate and is non-flammable, impact-resistant, and simple to install. Electromagnetic EMC Protection includes two USB Charger Type A, 2.1 A, 1M plug sockets, and a USB Charger Type A+ Type C combo socket that passed the compatibility test. There are numerous questions. The industrial product standard was approved (TIS)

Product Details	Product Code	Color
 10AX 1M 1 Way Switch	5TA2211-1PC11 5TA2211-1PC12 5TA2211-1PC13	  
 10AX 1.5M 1 Way Switch	5TA2211-2PC11 5TA2211-2PC12 5TA2211-2PC13	  
 10AX 3M 1 Way Switch	5TA2211-3PC11 5TA2211-3PC12 5TA2211-3PC13	  
 10AX 1M 2 Way Switch	5TA2213-1PC11 5TA2213-1PC12 5TA2213-1PC13	  
 10AX 1.5M 2 Way Switch	5TA2213-2PC11 5TA2213-2PC12 5TA2213-2PC13	  
 10AX 3M 2 Way Switch	5TA2213-3PC11 5TA2213-3PC12 5TA2213-3PC13	  
 1M Intermediate Switch 24mm	5TA2217-1PC11 5TA2217-1PC12 5TA2217-1PC13	  
 10A Doorbell Switch	5TD2211-1PC11 5TD2211-1PC12 5TD2211-1PC13	  
 Door Chime 220-240 (Built-in transformer)	5TD1351-3PC01	



Product Details	Product Code	Color
 16A 2M 3 Pin Universal Socket (+Shutter)	5UB2234-2PC11 5UB2234-2PC12 5UB2234-2PC13	  
 16A 3M Twin 3 Pin Universal Socket (+Shutter)	5UB2244-3PC11 5UB2244-3PC12 5UB2244-3PC13	  
 1M Twin USB charger (2.1A 2ports)	5UH2211-1PC11 5UH2211-1PC12 5UH2211-1PC13	  
 USB Type A + Type C 3.1 A	5UH2212-2PC11 5UH2212-2PC12 5UH2212-2PC13	  
 1M TV Socket, F type	5UH2231-1PC11 5UH2231-1PC12 5UH2231-1PC13	  
 1M TV Socket, Coaxial 75ohm	5UH2232-1PC11 5UH2232-1PC12 5UH2232-1PC13	  
 1M RJ11 Socket	5UH2233-1PC11 5UH2233-1PC12 5UH2233-1PC13	  
 1M RJ45 Cat5e Socket	5UH2234-1PC11 5UH2234-1PC12 5UH2234-1PC13	  
 1M RJ45 SO (Cat6) Socket	5UH2235-1PC11 5UH2235-1PC12 5UH2235-1PC13	  
 4-100W 1M Dimmer Switch	5UH2241-1PC11 5UH2241-1PC12 5UH2241-1PC13	  
 4-100W2M Dimmer Switch with EMC protection	5UH2241-2PC11 5UH2241-2PC12 5UH2241-2PC13	  

Product Details

Product Code

Color



10A 1M 2 Pin Socket (+Shutter)

5UB2215-1PC11
5UB2215-1PC12
5UB2215-1PC13



16A 1M 2 Pin Socket (+Shutter)

5UB2225-1PC11
5UB2225-1PC12
5UB2225-1PC13



1M 2 Pin US Flat Socket (+Shutter)

5UB2218-1PC11
5UB2218-1PC12
5UB2218-1PC13



1M 3 Pin US Socket (+Shutter)

5UB2238-1PC11
5UB2238-1PC12
5UB2238-1PC13



13A 2M International Socket (+Shutter)

5UB2281-2PC11
5UB2281-2PC12
5UB2281-2PC13



N




20A 2M 3 Pin American Socket


5UB2247-2PC11
5UB2247-2PC12
5UB2247-2PC13




WIRING



1-way switch



3/2-way switch





































Sockets

Product Details



Product Code

Color

	1M Plate + frame	5UH2221-1PC11 5UH2221-1PC12 5UH2221-1PC13	  
	2M Plate + frame	5UH2221-2PC11 5UH2221-2PC12 5UH2221-2PC13	  
	3M Plate + frame	5UH2221-3PC11 5UH2221-3PC12 5UH2221-3PC13	  
	1M + 1M Plate + frame	5UH2222-1PC11 5UH2222-1PC12 5UH2222-1PC13	  
	4 x 1 M double plate + frame	5UH2222-4PC11 5UH2222-4PC12 5UH2222-4PC13	  
	2 x 3 M double plate + frame	5UH2222-6PC11 5UH2222-6PC12 5UH2222-6PC13	  
	1M Blank Plate	5UH2251-1PC11 5UH2251-1PC12 5UH2251-1PC13	  
	Full Blank Plate	5UH2223-3PC11 5UH2223-3PC12 5UH2223-3PC13	  
	IP 55 Weatherproof Cover	5UH2252-3PC01	



DELTA[®] relfa



Mix to suit each
need in your style

Subject to change and errors.

The information given in this document only contains general descriptions and/or performance feature which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contact.

© Siemens 2021

